

Technical Datasheet

HYGO STAR | Item.-no.: 26708
Latex gloves "Diablo" | powder-free



Product specifications

- latex, strong quality, powderfree, non sterile
- textured surface, very good grip
- full anatomic, like a second skin, with rolled edges
- very good sense of touch
- tearproof, extremely elastic
- particularly resistant
- Dispenser

Product

| | |
|--------|-------|
| Size | XL |
| Color | Black |
| Length | 24cm |

Additional specifications for gloves

| | |
|------------------------------|-----|
| tensile strength unaged in N | 6 |
| elongation unaged in % | 650 |

Technical Datasheet

HYGO STAR | Item.-no.: 26708
Latex gloves "Diablo" | powder-free



Quality features

| | | |
|---------------------|---------------------------|------------------------------|
| CE feature | yes | |
| product standards | Type of outer packaging | Cardboard |
| | Type of inner packaging | Cardboard |
| | Norms | latex |
| | Norms | CE 0465 PSA VO (EU) 2016-425 |
| | Norms | CE MPG 93-42-EWG |
| | Norms | CAT 3 |
| | Norms | food safe |
| | Norms | EN 420 |
| | Norms | EN 455 1-4 |
| | Norms | EN 374-5:2016 |
| | Norms | EN 374-1:2016 Type B GKLMT |
| | Quality level | 5 of 8 |
| | oil and grease resistance | 3 of 8 |
| tear strength | 5 of 8 | |
| abrasion resistance | 5 von 8 | |
| chemical resistance | 3 of 8 | |
| sensitivity | 8 of 8 | |

Packing

| | |
|--|--------------------|
| quantity inner packing | 100 |
| quantity outer packing | 1.000 |
| quantity per CCG1 | 36.000 |
| quantity per pallet | 81.000 |
| LxWxH outer packing in cm | 38,5 x 24,5 x 22,0 |
| volume in m ³ outer packing | 0.0207515 |
| gross weight outer packing in gr | 7.807 |

Labeling

| | |
|--------------------|------------|
| costums tariff no. | 4015110000 |
| country of origin | MY |

Technical Datasheet

HYGO STAR | Item.-no.: 26708

Latex gloves "Diablo" | powder-free



| | |
|------------------------|---------------|
| EAN code inner packing | 4015544267082 |
| EAN code outer packing | 4015544967081 |
| shelf life | 5 years |

If you need further details, please contact the support!

The technical informations are average production results and may vary from case to case
Subject to technical modifications; no responsibility is accepted for the accuracy of this information.